

CANNABIS HARM REDUCTION

START LOW, GO SLOW

Begin with a low dose and wait for the felt effects before consuming more. Keep in mind that edibles can take up to 90 minutes for effects to b felt.

CONSIDER APPROPRIATE TIME AND PLACE

The effects of cannabis (e.g., anxiety, paranoia) car vary according to your environment.

CHOOSE LESS RISKY CANNABIS PRODUCTS

Choosing a lower potency THC or high CBD strain instead of THC concentrates (e.g., shatter) can help reduce harms.

REDUCE THE AMOUNT AND FREQUENCY

Keep frequency down to the occasional weekday evening or weekend to reduce risk of unhealthy usage natterns and preserve a lower tolerance.

CHOOSE SAFER METHODS OF CONSUMPTION

Safer methods include vaporization or food products, which mitigate some of the risks of smoking.

AVOID HARMFUL SMOKING PRACTICES

If you choose to smoke, avoid deep inhalation or holding in the smoke for as long as possible. DIY smoking devices out of aluminum cans and other

AVOID SYNTHETIC CANNABINOIDS (K2, SPICE)

Synthetic products are not regulated and cause severe side-effects. Using a regulated plant product

AVOID MIXING WITH ALCOHOL AND TOBACCO
Greening out is the worst. Consider drinking nonalcoholic beverages instead of alcohol when using

CONSIDER YOUR RISK PROFILE AND FAMILY HISTORY

Risk factors to consider before using cannabis include family history of mental illness or substance use disorder. Avoid using cannabis if you're pregnant.

ARRANGE ALTERNATE TRANSPORTATION

Plan ahead to have a designated driver, take a bus, or grab a cab.